Deidre Benbow

From:

Shawn Huff

Sent: To:

Tuesday, October 13, 2009 8:34 AM James Rowland; Deidre Benbow

Cc:

Doug Hensel

Subject:

FW: Grey water standards - Potential Fali: I Flaw

Dee.

Mr. Chan appears has made another public comment (recommendation). Would you please log this comment and distribute it as necessary.

Thanks.

Shawn

=M-132

From: Chan, Victor M. [mailto:VMChan@SolanoCounty.com]

Sent: Friday, October 09, 2009 9:34 AM

To: Shawn Huff Cc: Mail Administrator

Subject: Grey water standards - Potential Fatal Flaw

Shawn Huff Please forward this email to Jim Rolland since I don't have his email address. Vic

Jim

t was a pleasure talking to you a few days ago.

Recently, a new issue developed at Solano County involving the propused Grey Water Standards which I strongly support.

don't see a requirement to use Phosphate free, biodegradable soap and detergent by the owners of gray water systems.

This may be necessary to avoid unwanted algae growth and soapy bull bles in our nearby lakes and streams.

Soap tends to float and normally is removed as floating scum in a typic al septic tank or a typical waste water treatment brocess.

A gray water system may not have this removal process and therefore $\,$ he discharge is more similar to a grey water $\,$ discharge at a camping site.

However, most responsible campers use biodegradable soap to proter the environment and I don't see any similar protection in a gray water system.

am concerned that the gray water systems may be considered a violation of the federal CWA if unwanted algae growth and soapy bubbles are later found to be connected to the gray water discharge.

Therefore I recommend that HCD consider making "Phosphate free, bit degradable soap and detergent" a requirement or at least a strong recommendation in the use of grey water systems.

Thank you in advance for your full consideration of this potential problem.

lictor M Chan, PE, BCEE Solano County Civil / Environmental Engineer Board Certified Environmental Engineer <u>www.aaee.net</u> 07-784-3177